

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

Date Reported:	6/24/2025	Sample ID:	20250617-DUME-009
Client Name:	Dumbo Electric	Sample Name:	Strawberry Blunt
Sampling Location:	Brooklyn, New York	Sample Matrix:	Flower
License Number:	OCM-PROC-24-000079	Sample Sub Type:	Infused Pre-roll
Phone:	516-817-5735	Package ID:	
Medical/Adult Use:	Adult Use	Batch Lot ID:	Prez 009
Sampling Date:	06/17/2025 11:30:00 AM	Batch Size:	1090
		Serving Size (g):	1.5

Potency	T	Pesticides	P	Heavy Metals	P	Mycotoxins	P
Water Activity	P	Microbiological	P	Residual Solvents	P	Terpenes	P
		Moisture	P	Filth & Foreign Material	-		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Strawberry Blunt (20250617-DUME-009)			
Potency analysis utilizing HPLC (HPLC-UV: SOP-073-GA)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.106
CBDA	< MRL	< MRL	0.106
CBGA	0.273	4.092	0.106
CBG	0.529	7.941	0.106
CBD	1.037	15.552	0.106
THCV	0.123	1.847	0.106
CBN	0.347	5.212	0.106
D9-THC	21.103	316.545	0.106
D8-THC	< MRL	< MRL	0.106
D10-THC-S	< MRL	< MRL	0.106
D10-THC-R	< MRL	< MRL	0.106
CBC	0.174	2.606	0.106
THCA	10.737	161.056	0.106
MRL = Minimum reporting limit/limit of quantification mg/serving = % w/w x10 x serving size weight (g) Reported on a dry-weight basis based on the calculation: (wet sample % x 100)/(100 - %MC)			
			Test ID: #116815 Date Tested: 06/20/2025 10:25 AM

Potency Summary	% w/w	mg/serving
Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	30.519	457.791
Total CBD [CBD + (CBDA * 0.877)]	1.037	15.552
Total Cannabinoids	34.323	514.851



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Strawberry Blunt (20250617-DUME-009)

Terpenes analysis utilizing GC-MS (GC-MS: SOP-063-GA, SOP-069-GA)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.01
Camphene	< MRL	0.01
Sabinene	< MRL	0.01
beta-Pinene	< MRL	0.01
beta-Myrcene	< MRL	0.01
Alpha-phellandrene	< MRL	0.01
Carene	< MRL	0.01
alpha-terpinene	< MRL	0.01
p-Cymene	< MRL	0.01
Limonene	< MRL	0.01
Eucalyptol	< MRL	0.01
Ocimene	< MRL	0.01
gamma-Terpinene	< MRL	0.01
Sabinene Hydrate	< MRL	0.01
Terpinolene	< MRL	0.01
Linalool	0.04	0.01
Fenchol	0.01	0.01
Menthol	< MRL	0.01
Terpineol	0.02	0.01
Citronellol	< MRL	0.01
Isopulegol	< MRL	0.01
Geraniol	< MRL	0.01
Alpha-cedrene	< MRL	0.01
Beta-Caryophyllene	0.28	0.01
Farnesene	0.01	0.01
alpha-Humulene	0.09	0.01
Valencene	< MRL	0.01
cis-Nerolidol	< MRL	0.01
trans-Nerolidol	0.02	0.01
Caryophyllene oxide	0.04	0.01
Guaiol	< MRL	0.01
alpha-Bisabolol	0.07	0.01

MRL = Minimum reporting limit/limit of quantification

Test ID: #116820 | Date Tested: 06/23/2025 10:22 AM

Terpenes Summary	Result	Limit	Pass/Fail
Total Terpenes (% w/w)	0.58	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: Strawberry Blunt (20250617-DUME-009)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (GC-MS: SOP-067-GA, SOP-010-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	4.046
2-Propanol	PASS	< MRL	5000	606.266
Acetone	PASS	< MRL	5000	1247.331
Acetonitrile	PASS	< MRL	410	49.714
Butanes, total	PASS	< MRL	5000	606.266
Benzene	PASS	< MRL	2	0.809
Chloroform	PASS	< MRL	60	7.275
Dichloromethane	PASS	< MRL	600	72.752
Dimethyl Sulfoxide	PASS	< MRL	5000	1091.279
Ethanol	PASS	< MRL	5000	606.266
Ethyl acetate	PASS	< MRL	5000	606.266
Ethyl ether	PASS	< MRL	5000	606.266
n-Heptane	PASS	< MRL	5000	606.266
Hexanes, total	PASS	< MRL	290	35.163
Methanol	PASS	< MRL	3000	363.760
Pentanes, total	PASS	< MRL	5000	606.266
Propane	PASS	< MRL	5000	606.266
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	392.860
Toluene	PASS	< MRL	890	107.915
Trichloroethane	PASS	< MRL	1500	1091.279
Xylenes, total	PASS	< MRL	2170	263.120

MRL = Minimum reporting limit/limit of quantification

Test ID: #116818 | Date Tested: 06/23/2025 11:44 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Strawberry Blunt (20250617-DUME-009)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Fonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #116819 | Date Tested: 06/24/2025 09:50 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Strawberry Blunt (20250617-DUME-009)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (LC-MS/MS: SOP-062-GA, SOP-070-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #116816 Date Tested: 06/24/2025 09:51 AM		

Heavy Metals: Strawberry Blunt (20250617-DUME-009)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (ICP-MS: SOP-061-NY, SOP-072-GA)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	5.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #116817 Date Tested: 06/18/2025 05:04 PM		

Microbiology - Plating: Strawberry Blunt (20250617-DUME-009)					PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	17909	None	100	
Total Yeast & Mold	PASS	1100	None	100	
Microbiology - qPCR:					
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #116822 Date Tested: 06/20/2025 11:00 AM		

Moisture Content: Strawberry Blunt (20250617-DUME-009)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	5.8	15	
MRL = Minimum reporting limit/limit of quantification			Test ID: #116821 Date Tested: 06/20/2025 04:25 AM	



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
 401 North Middletown Road, Building 60B
 Pearl River, NY 10965
 www.greenanalyticsllc.com
 License #s: OCM-CPL-00013
 ISO 17025 Certificate No.: 4356.09

Water Activity: Strawberry Blunt (20250617-DUME-009)			PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)			
Analyte	Pass/Fail	Result (a_w)	Limit (a_w)
Water Activity	PASS	0.58	0.65
MRL = Minimum reporting limit/limit of quantification		Test ID: #116823 Date Tested: 06/20/2025 04:25 AM	



Matthew Elmes
 Lab Director
 6/24/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.