

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

<b>Date Reported:</b>	8/19/2025	<b>Sample ID:</b>	20250714-DUME-001
<b>Client Name:</b>	Dumbo Electric	<b>Sample Name:</b>	XJ13 Blunt
<b>Sampling Location:</b>	Brooklyn, New York	<b>Sample Matrix:</b>	Flower
<b>License Number:</b>	OCM-PROC-24-000079	<b>Sample Sub Type:</b>	Infused Blunt
<b>Phone:</b>	516-817-5735	<b>Package ID:</b>	
<b>Medical/Adult Use:</b>	Adult Use	<b>Batch Lot ID:</b>	Prez-0030
<b>Sampling Date:</b>	07/14/2025 02:25:00 PM	<b>Batch Size:</b>	998
		<b>Serving Size (g):</b>	1.5

<b>Potency</b>	<b>T</b>	<b>Pesticides</b>	<b>P</b>	<b>Heavy Metals</b>	<b>P</b>	<b>Mycotoxins</b>	<b>P</b>
<b>Water Activity</b>	<b>P</b>	<b>Microbiological</b>	<b>P</b>	<b>Residual Solvents</b>	<b>P</b>	<b>Terpenes</b>	<b>P</b>
		<b>Moisture</b>	<b>P</b>	<b>Filth &amp; Foreign Material</b>	<b>-</b>		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: XJ13 Blunt (20250714-DUME-001)			
Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.100
CBDA	< MRL	< MRL	0.100
CBGA	0.297	4.460	0.100
CBG	0.734	11.011	0.100
CBD	2.232	33.481	0.100
THCV	0.150	2.249	0.100
CBN	0.492	7.381	0.100
D9-THC	25.856	387.847	0.100
D8-THC	< MRL	< MRL	0.100
D10-THC-S	< MRL	< MRL	0.100
D10-THC-R	< MRL	< MRL	0.100
CBC	0.446	6.693	0.100
THCA	13.261	198.910	0.100

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #120929 | Date Tested: 08/14/2025 05:37 AM

Potency Summary	% w/w	mg/serving
<b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)]	37.486	562.291
<b>Total CBD</b> [CBD + (CBDA * 0.877)]	2.232	33.481
<b>Total Cannabinoids</b>	43.468	652.032

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: XJ13 Blunt (20250714-DUME-001)

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	0.01	0.01
Camphene	< MRL	0.01
Sabinene	< MRL	0.01
beta-Pinene	0.01	0.01
beta-Myrcene	0.01	0.01
Alpha-phellandrene	< MRL	0.01
Carene	< MRL	0.01
alpha-terpinene	< MRL	0.01
p-Cymene	< MRL	0.01
Limonene	0.01	0.01
Eucalyptol	< MRL	0.01
Ocimene	< MRL	0.01
gamma-Terpinene	< MRL	0.01
Sabinene Hydrate	< MRL	0.01
Terpinolene	0.05	0.01
Linalool	0.05	0.01
Fenchol	0.02	0.01
Menthol	< MRL	0.01
Terpineol	0.03	0.01
Citronellol	< MRL	0.01
Isopulegol	< MRL	0.01
Geraniol	< MRL	0.01
Alpha-cedrene	< MRL	0.01
Beta-Caryophyllene	0.31	0.01
Farnesene	< MRL	0.01
alpha-Humulene	0.11	0.01
Valencene	< MRL	0.01
cis-Nerolidol	< MRL	0.01
trans-Nerolidol	0.02	0.01
Caryophyllene oxide	0.05	0.01
Guaiol	< MRL	0.01
alpha-Bisabolol	0.08	0.01

MRL = Minimum reporting limit/limit of quantification

Test ID: #120934 | Date Tested: 07/17/2025 07:16 AM

Terpenes Summary	Result	Limit	Pass/Fail
<b>Total Terpenes (% w/w)</b>	0.76	10	PASS

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Residual Solvents: XJ13 Blunt (20250714-DUME-001)**

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	2.500
2-Propanol	PASS	< MRL	5000	2500.000
Acetone	PASS	< MRL	5000	2500.000
Acetonitrile	PASS	< MRL	410	205.000
Butanes, total	PASS	< MRL	5000	2500.000
Benzene	PASS	< MRL	2	1.000
Chloroform	PASS	< MRL	60	30.000
Dichloromethane	PASS	< MRL	600	300.000
Dimethyl Sulfoxide	PASS	< MRL	5000	2500.000
Ethanol	PASS	< MRL	5000	2500.000
Ethyl acetate	PASS	< MRL	5000	2500.000
Ethyl ether	PASS	< MRL	5000	2500.000
n-Heptane	PASS	< MRL	5000	2500.000
Hexanes, total	PASS	< MRL	290	145.000
Methanol	PASS	< MRL	3000	1500.000
Pentanes, total	PASS	< MRL	5000	2500.000
Propane	PASS	< MRL	5000	2500.000
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	500.000
Toluene	PASS	< MRL	890	445.000
Trichloroethane	PASS	< MRL	1500	750.000
Xylenes, total	PASS	< MRL	2170	1085.000

MRL = Minimum reporting limit/limit of quantification

Test ID: #131319 | Date Tested: 07/16/2025 01:11 PM

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Pesticides: XJ13 Blunt (20250714-DUME-001) <span style="float: right;">PASS</span>				
Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)				
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.250
Chlorfenapyr	PASS	< MRL	1.00	0.050
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	1.00	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.20	0.050
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	1.00	0.250
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification Test ID: #120933 | Date Tested: 07/21/2025 01:51 PM

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Mycotoxins: XJ13 Blunt (20250714-DUME-001)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #120930   Date Tested: 07/21/2025 01:51 PM		

Heavy Metals: XJ13 Blunt (20250714-DUME-001)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	2.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #120931   Date Tested: 07/16/2025 04:01 AM		

Microbiology - Plating: XJ13 Blunt (20250714-DUME-001)					PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	4727	None	100	
Total Yeast & Mold	PASS	< MRL	None	100	
Microbiology - qPCR:					
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test ID: #120936   Date Tested: 07/21/2025 07:46 AM		

Moisture Content: XJ13 Blunt (20250714-DUME-001)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	5.5	15	
MRL = Minimum reporting limit/limit of quantification			Test ID: #120935   Date Tested: 07/15/2025 10:45 AM	

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Water Activity: XJ13 Blunt (20250714-DUME-001)			PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)			
Analyte	Pass/Fail	Result (a <sub>w</sub> )	Limit (a <sub>w</sub> )
Water Activity	PASS	0.57	0.65
MRL = Minimum reporting limit/limit of quantification		Test ID: #120937   Date Tested: 07/15/2025 10:45 AM	



Matthew Elmes  
Lab Director  
8/19/2025

**Version 3: Correction made to include RSA panel and update to serving size - KAR 08/19/25**



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.