

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Sample Result: PASS

| | | | |
|---------------------------|------------------------|--------------------------|-------------------|
| Date Reported: | 8/19/2025 | Sample ID: | 20250714-DUME-004 |
| Client Name: | Dumbo Electric | Sample Name: | Skywalker Blunt |
| Sampling Location: | Brooklyn, New York | Sample Matrix: | Flower |
| License Number: | OCM-PROC-24-000079 | Sample Sub Type: | Infused Blunt |
| Phone: | 516-817-5735 | Package ID: | |
| Medical/Adult Use: | Adult Use | Batch Lot ID: | Prez-0014 |
| Sampling Date: | 07/14/2025 02:25:00 PM | Batch Size: | 401 |
| | | Serving Size (g): | 1.5 |

| | | | | | | | |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| Potency | T | Pesticides | P | Heavy Metals | P | Mycotoxins | P |
| Water Activity | P | Microbiological | P | Residual Solvents | P | Terpenes | P |
| | | Moisture | P | Filth & Foreign Material | - | | |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

| Cannabinoids: Skywalker Blunt (20250714-DUME-004) | | | |
|--|--------|------------|-------------|
| Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY) | | | |
| Analyte | % w/w | mg/serving | MRL (% w/w) |
| CBDV | < MRL | < MRL | 0.107 |
| CBDA | < MRL | < MRL | 0.107 |
| CBGA | 0.235 | 3.528 | 0.107 |
| CBG | 0.651 | 9.764 | 0.107 |
| CBD | 2.287 | 34.306 | 0.107 |
| THCV | 0.161 | 2.415 | 0.107 |
| CBN | 0.547 | 8.207 | 0.107 |
| D9-THC | 26.290 | 394.354 | 0.107 |
| D8-THC | < MRL | < MRL | 0.107 |
| D10-THC-S | < MRL | < MRL | 0.107 |
| D10-THC-R | < MRL | < MRL | 0.107 |
| CBC | 0.469 | 7.039 | 0.107 |
| THCA | 12.246 | 183.686 | 0.107 |

MRL = Minimum reporting limit/limit of quantification
mg/serving = % w/w x10 x serving size weight (g)
Reported on a dry-weight basis based on the calculation:
(wet sample % x 100)/(100 - %MC)

Test ID: #120956 | Date Tested: 08/14/2025 05:37 AM

| Potency Summary | % w/w | mg/serving |
|---|--------|------------|
| Total THC [$\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877)] | 37.030 | 555.447 |
| Total CBD [CBD + (CBDA * 0.877)] | 2.287 | 34.306 |
| Total Cannabinoids | 42.886 | 643.299 |

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Terpenes: Skywalker Blunt (20250714-DUME-004)

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene | < MRL | 0.01 |
| Camphene | < MRL | 0.01 |
| Sabinene | < MRL | 0.01 |
| beta-Pinene | 0.02 | 0.01 |
| beta-Myrcene | 0.02 | 0.01 |
| Alpha-phellandrene | < MRL | 0.01 |
| Carene | < MRL | 0.01 |
| alpha-terpinene | < MRL | 0.01 |
| p-Cymene | < MRL | 0.01 |
| Limonene | < MRL | 0.01 |
| Eucalyptol | < MRL | 0.01 |
| Ocimene | < MRL | 0.01 |
| gamma-Terpinene | < MRL | 0.01 |
| Sabinene Hydrate | < MRL | 0.01 |
| Terpinolene | < MRL | 0.01 |
| Linalool | 0.14 | 0.01 |
| Fenchol | 0.03 | 0.01 |
| Menthol | < MRL | 0.01 |
| Terpineol | < MRL | 0.01 |
| Citronellol | < MRL | 0.01 |
| Isopulegol | < MRL | 0.01 |
| Geraniol | < MRL | 0.01 |
| Alpha-cedrene | < MRL | 0.01 |
| Beta-Caryophyllene | 0.25 | 0.01 |
| Farnesene | < MRL | 0.01 |
| alpha-Humulene | 0.02 | 0.01 |
| Valencene | < MRL | 0.01 |
| cis-Nerolidol | 0.08 | 0.01 |
| trans-Nerolidol | 0.13 | 0.01 |
| Caryophyllene oxide | 0.04 | 0.01 |
| Guaiol | 0.04 | 0.01 |
| alpha-Bisabolol | 0.06 | 0.01 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #120961 | Date Tested: 07/17/2025 07:16 AM

| Terpenes Summary | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| Total Terpenes (% w/w) | 0.83 | 10 | PASS |

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #s: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Residual Solvents: Skywalker Blunt (20250714-DUME-004)

PASS

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|---|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane | PASS | < MRL | 5 | 2.500 |
| 2-Propanol | PASS | < MRL | 5000 | 2500.000 |
| Acetone | PASS | < MRL | 5000 | 2500.000 |
| Acetonitrile | PASS | < MRL | 410 | 205.000 |
| Butanes, total | PASS | < MRL | 5000 | 2500.000 |
| Benzene | PASS | < MRL | 2 | 1.000 |
| Chloroform | PASS | < MRL | 60 | 30.000 |
| Dichloromethane | PASS | < MRL | 600 | 300.000 |
| Dimethyl Sulfoxide | PASS | < MRL | 5000 | 2500.000 |
| Ethanol | PASS | < MRL | 5000 | 2500.000 |
| Ethyl acetate | PASS | < MRL | 5000 | 2500.000 |
| Ethyl ether | PASS | < MRL | 5000 | 2500.000 |
| n-Heptane | PASS | < MRL | 5000 | 2500.000 |
| Hexanes, total | PASS | < MRL | 290 | 145.000 |
| Methanol | PASS | < MRL | 3000 | 1500.000 |
| Pentanes, total | PASS | < MRL | 5000 | 2500.000 |
| Propane | PASS | < MRL | 5000 | 2500.000 |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS | < MRL | 1000 | 500.000 |
| Toluene | PASS | < MRL | 890 | 445.000 |
| Trichloroethane | PASS | < MRL | 1500 | 750.000 |
| Xylenes, total | PASS | < MRL | 2170 | 1085.000 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #131322 | Date Tested: 07/16/2025 01:11 PM

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

Pesticides: Skywalker Blunt (20250714-DUME-004)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin | PASS | < MRL | 0.50 | 0.100 |
| Acephate | PASS | < MRL | 0.40 | 0.100 |
| Acequinocyl | PASS | < MRL | 2.00 | 0.100 |
| Acetamiprid | PASS | < MRL | 0.20 | 0.100 |
| Aldicarb | PASS | < MRL | 0.40 | 0.100 |
| Azadirachtin | PASS | < MRL | 1.00 | 0.250 |
| Azoxystrobin | PASS | < MRL | 0.20 | 0.100 |
| Bifenazate | PASS | < MRL | 0.20 | 0.100 |
| Bifenthrin | PASS | < MRL | 0.20 | 0.100 |
| Boscalid | PASS | < MRL | 0.40 | 0.100 |
| Captan | PASS | < MRL | 1.00 | 0.500 |
| Carbaryl | PASS | < MRL | 0.20 | 0.100 |
| Carbofuran | PASS | < MRL | 0.20 | 0.100 |
| Chlorantranilprole | PASS | < MRL | 0.20 | 0.100 |
| Chlordane | PASS | < MRL | 1.00 | 0.250 |
| Chlorfenapyr | PASS | < MRL | 1.00 | 0.050 |
| Chlormequat chloride | PASS | < MRL | 1.00 | 0.100 |
| Chlorpyrifos | PASS | < MRL | 0.20 | 0.100 |
| Clofentezine | PASS | < MRL | 0.20 | 0.100 |
| Coumaphos | PASS | < MRL | 1.00 | 0.100 |
| Cyfluthrin | PASS | < MRL | 1.00 | 0.100 |
| Cypermethrin | PASS | < MRL | 1.00 | 0.100 |
| Daminozide | PASS | < MRL | 1.00 | 0.100 |
| Diazinon | PASS | < MRL | 0.20 | 0.100 |
| Dichlorvos | PASS | < MRL | 1.00 | 0.100 |
| Dimethoate | PASS | < MRL | 0.20 | 0.100 |
| Dimethomorph | PASS | < MRL | 1.00 | 0.100 |
| Ethoprophos | PASS | < MRL | 0.20 | 0.100 |
| Etofenprox | PASS | < MRL | 0.40 | 0.100 |
| Etoxazole | PASS | < MRL | 0.20 | 0.100 |
| Fenhexamid | PASS | < MRL | 1.00 | 0.100 |
| Fenoxycarb | PASS | < MRL | 0.20 | 0.100 |
| Fenpyroximate | PASS | < MRL | 0.40 | 0.100 |
| Fipronil | PASS | < MRL | 0.40 | 0.100 |
| Flonicamid | PASS | < MRL | 1.00 | 0.100 |
| Fludioxonil | PASS | < MRL | 0.40 | 0.100 |
| Hexythiazox | PASS | < MRL | 1.00 | 0.100 |
| Imazalil | PASS | < MRL | 0.20 | 0.100 |
| Imidacloprid | PASS | < MRL | 0.40 | 0.100 |
| Indole-3-butyric acid | PASS | < MRL | 1.00 | 0.250 |
| Kresoxim-methyl | PASS | < MRL | 0.40 | 0.100 |
| Malathion | PASS | < MRL | 0.20 | 0.100 |
| Metalaxyl | PASS | < MRL | 0.20 | 0.100 |
| Methiocarb | PASS | < MRL | 0.20 | 0.100 |
| Methomyl | PASS | < MRL | 0.40 | 0.100 |
| Methyl Parathion | PASS | < MRL | 0.20 | 0.050 |
| Mevinphos | PASS | < MRL | 1.00 | 0.100 |
| MGK-264 I/II | PASS | < MRL | 0.20 | 0.100 |
| Myclobutanil | PASS | < MRL | 0.20 | 0.100 |
| Naled | PASS | < MRL | 0.50 | 0.100 |
| Oxamyl | PASS | < MRL | 1.00 | 0.100 |
| Paclobutrazol | PASS | < MRL | 0.40 | 0.100 |
| Pentachloronitrobenzene | PASS | < MRL | 1.00 | 0.250 |
| Permethrins, total | PASS | < MRL | 0.20 | 0.100 |
| Phosmet | PASS | < MRL | 0.20 | 0.100 |
| Piperonyl butoxide | PASS | < MRL | 2.00 | 0.100 |
| Prallethrin | PASS | < MRL | 0.20 | 0.100 |
| Propiconazole | PASS | < MRL | 0.40 | 0.100 |
| Propoxur | PASS | < MRL | 0.20 | 0.100 |
| Pyrethrins | PASS | < MRL | 1.00 | 0.100 |
| Pyridaben | PASS | < MRL | 0.20 | 0.100 |
| Spinetoram, Total | PASS | < MRL | 1.00 | 0.100 |
| Spinosad, Total | PASS | < MRL | 0.20 | 0.100 |
| Spiromesifen | PASS | < MRL | 0.20 | 0.100 |
| Spirotetramat | PASS | < MRL | 0.20 | 0.100 |
| Spiroxamine | PASS | < MRL | 0.20 | 0.100 |
| Tebuconazole | PASS | < MRL | 0.40 | 0.100 |
| Thiacloprid | PASS | < MRL | 0.20 | 0.100 |
| Thiamethoxam | PASS | < MRL | 0.20 | 0.100 |
| Trifloxystrobin | PASS | < MRL | 0.20 | 0.100 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #120960 | Date Tested: 07/21/2025 01:51 PM

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
Laboratory determined measurement uncertainty is available by request.



Green Analytics NY, LLC
401 North Middletown Road, Building 60B
Pearl River, NY 10965
www.greenanalyticsllc.com
License #: OCM-CPL-00013
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: Skywalker Blunt (20250714-DUME-004) | | | | | PASS |
|---|-----------|---------------|---|------------|------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) | | | | | |
| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) | |
| Ochratoxin | PASS | < MRL | 0.02 | 0.010 | |
| Total Aflatoxins | PASS | < MRL | 0.02 | 0.010 | |
| MRL = Minimum reporting limit/limit of quantification | | | Test ID: #120957 Date Tested: 07/21/2025 01:51 PM | | |

| Heavy Metals: Skywalker Blunt (20250714-DUME-004) | | | | | PASS |
|---|-----------|---------------|---|------------|------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) | | | | | |
| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) | |
| Chromium | PASS | < MRL | 110.0 | 8.00 | |
| Nickel | PASS | < MRL | 2.0 | 1.00 | |
| Copper | PASS | < MRL | 30.0 | 8.00 | |
| Arsenic | PASS | < MRL | 0.2 | 0.10 | |
| Cadmium | PASS | < MRL | 0.2 | 0.10 | |
| Antimony | PASS | < MRL | 2.0 | 1.00 | |
| Mercury | PASS | < MRL | 0.1 | 0.05 | |
| Lead | PASS | 0.301 | 0.5 | 0.20 | |
| MRL = Minimum reporting limit/limit of quantification | | | Test ID: #120958 Date Tested: 07/16/2025 04:01 AM | | |

| Microbiology - Plating: Skywalker Blunt (20250714-DUME-004) | | | | | PASS |
|--|-----------|-----------------|---|-------------|------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY) | | | | | |
| Analyte | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) | |
| Total Aerobic Bacteria | PASS | 7636 | None | 100 | |
| Total Yeast & Mold | PASS | 100 | None | 100 | |
| Microbiology - qPCR: | | | | | |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) | | | | | |
| Analyte | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) | |
| Salmonella spp | PASS | Absent | Absent | 1 | |
| Shiga toxin-producing E. coli | PASS | Absent | Absent | 1 | |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS | Absent | Absent | 1 | |
| MRL = Minimum reporting limit/limit of quantification | | | Test ID: #120963 Date Tested: 07/21/2025 07:46 AM | | |

| Moisture Content: Skywalker Blunt (20250714-DUME-004) | | | | PASS |
|---|-----------|------------|---|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) | | | | |
| Analyte | Pass/Fail | Result (%) | Limit (%) | |
| Moisture | PASS | 5.6 | 15 | |
| MRL = Minimum reporting limit/limit of quantification | | | Test ID: #120962 Date Tested: 07/15/2025 10:45 AM | |

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
 401 North Middletown Road, Building 60B
 Pearl River, NY 10965
 www.greenanalyticsllc.com
 License #s: OCM-CPL-00013
 ISO 17025 Certificate No.: 4356.09

| Water Activity: Skywalker Blunt (20250714-DUME-004) | | | PASS |
|--|-----------|---|-------------------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) | | | |
| Analyte | Pass/Fail | Result (a _w) | Limit (a _w) |
| Water Activity | PASS | 0.58 | 0.65 |
| MRL = Minimum reporting limit/limit of quantification | | Test ID: #120964 Date Tested: 07/15/2025 10:45 AM | |



Matthew Elmes
 Lab Director
 8/19/2025

Version 3: CoA amended to include RSA panel and update to serving size - KAR 08/19/2025

Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.
 Laboratory determined measurement uncertainty is available by request.

