

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

<b>Date Reported:</b>	8/12/2025	<b>Sample ID:</b>	20250806-DUME-003
<b>Client Name:</b>	Dumbo Electric	<b>Sample Name:</b>	Skywalker blunt
<b>Sampling Location:</b>	Brooklyn, New York	<b>Sample Matrix:</b>	Flower
<b>License Number:</b>	OCM-PROC-24-000079	<b>Sample Sub Type:</b>	Infused Pre-roll
<b>Phone:</b>	516-817-5735	<b>Package ID:</b>	
<b>Medical/Adult Use:</b>	Adult Use	<b>Batch Lot ID:</b>	PREZ-0048
<b>Sampling Date:</b>	08/06/2025 9:40 AM	<b>Batch Size:</b>	1427
		<b>Serving Size (g):</b>	1.5

<b>Potency</b>	<b>T</b>	<b>Pesticides</b>	<b>P</b>	<b>Heavy Metals</b>	<b>P</b>	<b>Mycotoxins</b>	<b>P</b>
<b>Water Activity</b>	<b>P</b>	<b>Microbiological</b>	<b>P</b>	<b>Residual Solvents</b>	<b>P</b>	<b>Terpenes</b>	<b>P</b>
		<b>Moisture</b>	<b>P</b>	<b>Filth &amp; Foreign Material</b>	<b>-</b>		

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

Cannabinoids: Skywalker blunt (20250806-DUME-003)			
Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)			
Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.337
CBDA	< MRL	< MRL	0.337
CBGA	< MRL	< MRL	0.337
CBG	1.126	16.895	0.337
CBD	0.619	9.280	0.337
THCV	< MRL	< MRL	0.337
CBN	< MRL	< MRL	0.337
D9-THC	26.597	398.960	0.337
D8-THC	< MRL	< MRL	0.337
D10-THC-S	< MRL	< MRL	0.337
D10-THC-R	< MRL	< MRL	0.337
CBC	< MRL	< MRL	0.337
THCA	12.134	182.005	0.337

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #127733 | Date Tested: 08/07/2025 06:53 PM

Potency Summary	% w/w	mg/serving
<b>Total THC</b> [ $\Delta^8$ -THC + $\Delta^9$ -THC + $\Delta^{10}$ -THC + (THCA * 0.877)]	37.239	558.578
<b>Total CBD</b> [CBD + (CBDA * 0.877)]	0.619	9.280
<b>Total Cannabinoids</b>	40.476	607.140



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Terpenes: Skywalker blunt (20250806-DUME-003)**

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	< MRL	0.05
Camphene	< MRL	0.05
Sabinene	< MRL	0.05
beta-Pinene	< MRL	0.05
beta-Myrcene	< MRL	0.05
Alpha-phellandrene	< MRL	0.05
Carene	< MRL	0.05
alpha-terpinene	< MRL	0.05
p-Cymene	< MRL	0.05
Limonene	< MRL	0.05
Eucalyptol	< MRL	0.05
Ocimene	< MRL	0.04
gamma-Terpinene	< MRL	0.05
Sabinene Hydrate	< MRL	0.05
Terpinolene	< MRL	0.05
Linalool	0.24	0.05
Fenchol	< MRL	0.05
Menthol	< MRL	0.05
Terpineol	< MRL	0.05
Citronellol	< MRL	0.05
Isopulegol	< MRL	0.05
Geraniol	< MRL	0.05
Alpha-cedrene	< MRL	0.04
Beta-Caryophyllene	0.46	0.05
Farnesene	< MRL	0.05
alpha-Humulene	0.06	0.05
Valencene	< MRL	0.05
cis-Nerolidol	0.09	0.02
trans-Nerolidol	0.15	0.03
Caryophyllene oxide	< MRL	0.05
Guaiol	< MRL	0.05
alpha-Bisabolol	< MRL	0.05

MRL = Minimum reporting limit/limit of quantification

Test ID: #127737 | Date Tested: 08/11/2025 08:37 PM

Terpenes Summary	Result	Limit	Pass/Fail
<b>Total Terpenes (% w/w)</b>	1.00	10	PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Residual Solvents: Skywalker blunt (20250806-DUME-003)**

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
1,2-Dichloroethane	PASS	< MRL	5	3.500
2-Propanol	PASS	< MRL	5000	500.000
Acetone	PASS	< MRL	5000	2000.000
Acetonitrile	PASS	< MRL	410	40.000
Butanes, total	PASS	< MRL	5000	2500.000
Benzene	PASS	< MRL	2	0.650
Chloroform	PASS	< MRL	60	6.000
Dichloromethane	PASS	< MRL	600	60.000
Dimethyl Sulfoxide	PASS	< MRL	5000	1000.000
Ethanol	PASS	< MRL	5000	500.000
Ethyl acetate	PASS	< MRL	5000	500.000
Ethyl ether	PASS	< MRL	5000	500.000
n-Heptane	PASS	< MRL	5000	500.000
Hexanes, total	PASS	< MRL	290	30.000
Methanol	PASS	< MRL	3000	300.000
Pentanes, total	PASS	< MRL	5000	500.000
Propane	PASS	< MRL	5000	500.000
Tetrafluoroethane (1,1,1,2-) (HFC-134a)	PASS	< MRL	1000	400.000
Toluene	PASS	< MRL	890	100.000
Trichloroethane	PASS	< MRL	1500	1000.000
Xylenes, total	PASS	< MRL	2170	250.000

MRL = Minimum reporting limit/limit of quantification

Test ID: #127736 | Date Tested: 08/10/2025 12:34 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Pesticides: Skywalker blunt (20250806-DUME-003)**

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.50	0.100
Acephate	PASS	< MRL	0.40	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.20	0.100
Aldicarb	PASS	< MRL	0.40	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.20	0.100
Bifenazate	PASS	< MRL	0.20	0.100
Bifenthrin	PASS	< MRL	0.20	0.100
Boscalid	PASS	< MRL	0.40	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.20	0.100
Carbofuran	PASS	< MRL	0.20	0.100
Chlorantranilprole	PASS	< MRL	0.20	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.20	0.100
Clofentezine	PASS	< MRL	0.20	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.20	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.20	0.100
Dimethomorph	PASS	< MRL	0.20	0.100
Ethoprophos	PASS	< MRL	0.20	0.100
Etofenprox	PASS	< MRL	0.40	0.100
Etoxazole	PASS	< MRL	0.20	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.20	0.100
Fenpyroximate	PASS	< MRL	0.40	0.100
Fipronil	PASS	< MRL	0.40	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.40	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.20	0.100
Imidacloprid	PASS	< MRL	0.40	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.40	0.100
Malathion	PASS	< MRL	0.20	0.100
Metalaxyl	PASS	< MRL	0.20	0.100
Methiocarb	PASS	< MRL	0.20	0.100
Methomyl	PASS	< MRL	0.40	0.100
Methyl Parathion	PASS	< MRL	0.40	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.20	0.100
Myclobutanil	PASS	< MRL	0.20	0.100
Naled	PASS	< MRL	0.50	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.40	0.100
Pentachloronitrobenzene	PASS	< MRL	0.40	0.100
Permethrins, total	PASS	< MRL	0.20	0.100
Phosmet	PASS	< MRL	0.20	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.20	0.100
Propiconazole	PASS	< MRL	0.40	0.100
Propoxur	PASS	< MRL	0.20	0.100
Pyrethrins	PASS	0.02	1.00	0.100
Pyridaben	PASS	< MRL	0.20	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.20	0.100
Spiromesifen	PASS	< MRL	0.20	0.100
Spirotetramat	PASS	< MRL	0.20	0.100
Spiroxamine	PASS	< MRL	0.20	0.100
Tebuconazole	PASS	< MRL	0.40	0.100
Thiacloprid	PASS	< MRL	0.20	0.100
Thiamethoxam	PASS	< MRL	0.20	0.100
Trifloxystrobin	PASS	< MRL	0.20	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #127730 | Date Tested: 08/12/2025 10:30 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Skywalker blunt (20250806-DUME-003)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.02	0.010	
Total Aflatoxins	PASS	< MRL	0.02	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #127731   Date Tested: 08/12/2025 10:32 AM		

Heavy Metals: Skywalker blunt (20250806-DUME-003)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110.0	8.00	
Nickel	PASS	< MRL	2.0	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.2	0.10	
Cadmium	PASS	< MRL	0.2	0.10	
Antimony	PASS	< MRL	2.0	1.00	
Mercury	PASS	< MRL	0.1	0.05	
Lead	PASS	< MRL	0.5	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #127729   Date Tested: 08/08/2025 10:24 AM		

Microbiology - Plating: Skywalker blunt (20250806-DUME-003)					PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	11532	None	100.0	
Total Yeast & Mold	PASS	100	None	100.0	
Microbiology - qPCR:					
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Salmonella spp	PASS	Absent	Absent	1.0	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1.0	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1.0	
MRL = Minimum reporting limit/limit of quantification			Test IDs: #127739, #127738, #127741, #127740   Date Tested: 08/11/2025 11:08 AM, 08/11/2025 06:27 PM		

Moisture: Skywalker blunt (20250806-DUME-003)					PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)					
Analyte	Pass/Fail	Result (%)	Limit (%)		
Moisture	PASS	5.7	15		
MRL = Minimum reporting limit/limit of quantification			Test ID: #127732   Date Tested: 08/08/2025 09:16 AM		



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
 401 North Middletown Road, Building 60B  
 Pearl River, NY 10965  
 www.greenanalyticsllc.com  
 License #s: OCM-CPL-00013  
 ISO 17025 Certificate No.: 4356.09

Water Activity: Skywalker blunt (20250806-DUME-003)			PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)			
Analyte	Pass/Fail	Result ( $a_w$ )	Limit ( $a_w$ )
Water Activity	PASS	0.50	0.65
MRL = Minimum reporting limit/limit of quantification		Test ID: #127728   Date Tested: 08/11/2025 10:55 AM	



Matthew Elmes  
 Lab Director  
 8/12/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.