

### Sample Result: PASS

|                           |                                      |
|---------------------------|--------------------------------------|
| <b>Date Reported:</b>     | 3/10/2026                            |
| <b>Client Name:</b>       | Dumbo Electric, LLC dba Presidential |
| <b>Sampling Location:</b> | Brooklyn, New York                   |
| <b>License Number:</b>    | OCM-PROC-24-000079                   |
| <b>Phone:</b>             | 516-817-5735                         |
| <b>Medical/Adult Use:</b> | Adult Use                            |
| <b>Sampling Date:</b>     | 02/26/2026 11:30:00 AM               |
| <b>METRC Test Tag ID:</b> | 1A4120300000220000003480             |

|                          |                          |
|--------------------------|--------------------------|
| <b>Sample ID:</b>        | 20260226-PREZ-007        |
| <b>Sample Name:</b>      | NYC Diesel Blunts        |
| <b>Sample Matrix:</b>    | Flower                   |
| <b>Sample Sub Type:</b>  | Infused Blunt            |
| <b>Package ID:</b>       |                          |
| <b>Batch Lot ID:</b>     | NYD-BL-02                |
| <b>Batch Size:</b>       | 1400                     |
| <b>Serving Size (g):</b> | 1.5                      |
| <b>METRC Source ID:</b>  | 1A4120300000220000003476 |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: NYC Diesel Blunts (20260226-PREZ-007)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.070       |
| CBDA      | < MRL  | < MRL      | 0.070       |
| CBGA      | 0.244  | 3.656      | 0.070       |
| CBG       | 0.573  | 8.597      | 0.070       |
| CBD       | < MRL  | < MRL      | 0.070       |
| THCV      | 0.244  | 3.661      | 0.070       |
| CBN       | 0.298  | 4.473      | 0.070       |
| D9-THC    | 30.567 | 458.498    | 0.070       |
| D8-THC    | < MRL  | < MRL      | 0.070       |
| D10-THC-S | < MRL  | < MRL      | 0.070       |
| D10-THC-R | < MRL  | < MRL      | 0.070       |
| CBC       | < MRL  | < MRL      | 0.070       |
| THCA      | 7.571  | 113.569    | 0.070       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #206264 | Date Tested: 03/02/2026 12:27 PM

| Potency Summary                                                                            | % w/w  | mg/serving |
|--------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 37.207 | 558.098    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 39.497 | 592.454    |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: NYC Diesel Blunts (20260226-PREZ-007)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.14        |
| Camphene            | < MRL          | 0.14        |
| Sabinene            | < MRL          | 0.14        |
| beta-Pinene         | < MRL          | 0.14        |
| beta-Myrcene        | < MRL          | 0.14        |
| Alpha-phellandrene  | < MRL          | 0.14        |
| Carene              | < MRL          | 0.14        |
| alpha-terpinene     | < MRL          | 0.14        |
| p-Cymene            | < MRL          | 0.14        |
| Limonene            | < MRL          | 0.14        |
| Eucalyptol          | < MRL          | 0.14        |
| Ocimene             | < MRL          | 0.10        |
| gamma-Terpinene     | < MRL          | 0.14        |
| Sabinene Hydrate    | < MRL          | 0.14        |
| Terpinolene         | < MRL          | 0.14        |
| Linalool            | < MRL          | 0.14        |
| Fenchol             | < MRL          | 0.14        |
| Menthol             | < MRL          | 0.14        |
| Terpineol           | < MRL          | 0.14        |
| Citronellol         | < MRL          | 0.14        |
| Isopulegol          | < MRL          | 0.14        |
| Geraniol            | < MRL          | 0.14        |
| Alpha-cedrene       | < MRL          | 0.11        |
| Beta-Caryophyllene  | 0.53           | 0.14        |
| Farnesene           | < MRL          | 0.14        |
| alpha-Humulene      | 0.20           | 0.14        |
| Valencene           | < MRL          | 0.14        |
| cis-Nerolidol       | < MRL          | 0.05        |
| trans-Nerolidol     | 0.13           | 0.08        |
| Caryophyllene oxide | < MRL          | 0.14        |
| Guaiol              | < MRL          | 0.14        |
| alpha-Bisabolol     | 0.16           | 0.14        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #206268 | Date Tested: 03/03/2026 10:05 AM

### Terpenes Summary

Result

Limit

Pass/Fail

**Total Terpenes (% w/w)**

1.01

10

PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: NYC Diesel Blunts (20260226-PREZ-007)

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | 1342.5        | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #206267 | Date Tested: 03/05/2026 08:54 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: NYC Diesel Blunts (20260226-PREZ-007)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chloromequat chloride   | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.200        | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etioazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.400        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #206261 | Date Tested: 03/04/2026 06:01 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: NYC Diesel Blunts (20260226-PREZ-007)                                               |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.020                                               | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.020                                               | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #206262   Date Tested: 03/04/2026 06:07 PM |            |

| Heavy Metals: NYC Diesel Blunts (20260226-PREZ-007)                                                   |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 110                                                 | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 5.00                                                | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 30.0                                                | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 2.00                                                | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 0.100                                               | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.500                                               | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #206260   Date Tested: 03/03/2026 07:50 AM |            |

| Microbiology - Plating: NYC Diesel Blunts (20260226-PREZ-007)                    |           |                 |                                                                                                                           | PASS        |
|----------------------------------------------------------------------------------|-----------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                                                                                           |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                             | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | 300             | None                                                                                                                      | 100         |
| Total Yeast & Mold                                                               | PASS      | < MRL           | None                                                                                                                      | 100         |
| Microbiology - qPCR:                                                             |           |                 |                                                                                                                           |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                                                                                           |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                             | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                                                                                                    | 1           |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                                                                                                    | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                                                                                                    | 1           |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test IDs: #206270, #206269, #206272, #206271   Date Tested: 03/02/2026 06:39 PM, 03/03/2026 08:01 AM, 03/03/2026 08:07 AM |             |

| Moisture: NYC Diesel Blunts (20260226-PREZ-007)                       |           |            |                                                     | PASS |
|-----------------------------------------------------------------------|-----------|------------|-----------------------------------------------------|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA) |           |            |                                                     |      |
| Analyte                                                               | Pass/Fail | Result (%) | Limit (%)                                           |      |
| Moisture                                                              | PASS      | 3.9        | 15.0                                                |      |
| MRL = Minimum reporting limit/limit of quantification                 |           |            | Test ID: #206263   Date Tested: 02/27/2026 02:32 PM |      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Water Activity: NYC Diesel Blunts (20260226-PREZ-007)                            |           |                                                     | PASS            |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-----------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                 |
| Analyte                                                                          | Pass/Fail | Result ( $a_w$ )                                    | Limit ( $a_w$ ) |
| Water Activity                                                                   | PASS      | 0.31                                                | 0.65            |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #206259   Date Tested: 02/27/2026 02:48 PM |                 |



Matthew Elmes  
Lab Director  
3/10/2026

