

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                                      |                          |                                            |
|---------------------------|--------------------------------------|--------------------------|--------------------------------------------|
| <b>Date Reported:</b>     | 4/13/2026                            | <b>Sample ID:</b>        | 20260403-PREZ-009                          |
| <b>Client Name:</b>       | Dumbo Electric, LLC dba Presidential | <b>Sample Name:</b>      | Presidential Moon Rock Blunt - Gorilla Goo |
| <b>Sampling Location:</b> | Brooklyn, New York                   | <b>Sample Matrix:</b>    | Flower                                     |
| <b>License Number:</b>    | OCM-PROC-24-000079                   | <b>Sample Sub Type:</b>  | Infused Blunt                              |
| <b>Phone:</b>             | 516-817-5735                         | <b>Batch Lot ID:</b>     | GG-BL-06                                   |
| <b>Medical/Adult Use:</b> | Adult Use                            | <b>Batch Size:</b>       | 1360                                       |
| <b>Sampling Date:</b>     | 04/03/2026 03:15:00 PM               | <b>Serving Size (g):</b> | 1.5                                        |
| <b>METRC Test Tag ID:</b> | 1A4120300000220000004245             | <b>METRC Source ID:</b>  | 1A4120300000220000004235                   |

|                       |          |                        |          |                                     |           |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|-----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b>  | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b>  | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>P</b> | <b>Filth &amp; Foreign Material</b> | <b>NT</b> |                   |          |

"NT" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w  | mg/serving | MRL (% w/w) |
|-----------|--------|------------|-------------|
| CBDV      | < MRL  | < MRL      | 0.206       |
| CBDA      | < MRL  | < MRL      | 0.206       |
| CBGA      | 0.276  | 4.137      | 0.206       |
| CBG       | 0.396  | 5.946      | 0.206       |
| CBD       | < MRL  | < MRL      | 0.206       |
| THCV      | 0.240  | 3.596      | 0.206       |
| CBN       | 0.263  | 3.943      | 0.206       |
| D9-THC    | 28.005 | 420.077    | 0.206       |
| D8-THC    | < MRL  | < MRL      | 0.206       |
| D10-THC-S | < MRL  | < MRL      | 0.206       |
| D10-THC-R | < MRL  | < MRL      | 0.206       |
| CBC       | < MRL  | < MRL      | 0.206       |
| THCA      | 11.924 | 178.861    | 0.206       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #228580 | Date Tested: 04/07/2026 10:41 AM

| Potency Summary                                                                              | % w/w  | mg/serving |
|----------------------------------------------------------------------------------------------|--------|------------|
| <b>Total THC</b> [ $\Delta^8$ -THC + $\Delta^9$ -THC + $\Delta^{10}$ -THC + (THCA * 0.877) ] | 38.463 | 576.938    |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                    | < MRL  | < MRL      |
| <b>Total Cannabinoids</b>                                                                    | 41.104 | 616.560    |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Terpenes: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009) PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.13        |
| Camphene            | < MRL          | 0.13        |
| Sabinene            | < MRL          | 0.13        |
| beta-Pinene         | < MRL          | 0.13        |
| beta-Myrcene        | < MRL          | 0.13        |
| Alpha-phellandrene  | < MRL          | 0.13        |
| Carene              | < MRL          | 0.13        |
| alpha-terpinene     | < MRL          | 0.13        |
| p-Cymene            | < MRL          | 0.13        |
| Limonene            | < MRL          | 0.13        |
| Eucalyptol          | < MRL          | 0.13        |
| Ocimene             | < MRL          | 0.09        |
| gamma-Terpinene     | < MRL          | 0.13        |
| Sabinene Hydrate    | < MRL          | 0.13        |
| Terpinolene         | < MRL          | 0.13        |
| Linalool            | 0.13           | 0.13        |
| Fenchol             | < MRL          | 0.13        |
| Menthol             | < MRL          | 0.13        |
| Terpineol           | < MRL          | 0.13        |
| Citronellol         | < MRL          | 0.13        |
| Isopulegol          | < MRL          | 0.13        |
| Geraniol            | < MRL          | 0.13        |
| Alpha-cedrene       | < MRL          | 0.10        |
| Beta-Caryophyllene  | 0.60           | 0.13        |
| Farnesene           | < MRL          | 0.13        |
| alpha-Humulene      | 0.17           | 0.13        |
| Valencene           | < MRL          | 0.13        |
| cis-Nerolidol       | < MRL          | 0.05        |
| trans-Nerolidol     | < MRL          | 0.08        |
| Caryophyllene oxide | < MRL          | 0.13        |
| Guaiol              | < MRL          | 0.13        |
| alpha-Bisabolol     | < MRL          | 0.13        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #228584 | Date Tested: 04/13/2026 10:24 AM

| Terpenes Summary              | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| <b>Total Terpenes (% w/w)</b> | 0.90   | 10    | PASS      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

**Residual Solvents: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009) PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5.00         | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2.00         | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60.0         | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #228583 | Date Tested: 04/10/2026 08:32 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009) PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.500        | 0.100      |
| Acephate                | PASS      | < MRL         | 0.400        | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.400        | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.200        | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.200        | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.400        | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.200        | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.200        | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.200        | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chloromequat chloride   | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.200        | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.200        | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.200        | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.200        | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 1.00         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.200        | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.400        | 0.100      |
| Etoxazole               | PASS      | < MRL         | 0.200        | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.400        | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.400        | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.400        | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.200        | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.400        | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.400        | 0.100      |
| Malathion               | PASS      | < MRL         | 0.200        | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.200        | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.200        | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.400        | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.200        | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.200        | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.200        | 0.100      |
| Naled                   | PASS      | < MRL         | 0.500        | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.400        | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 1.00         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.200        | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.200        | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.200        | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.400        | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.200        | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.200        | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.200        | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.200        | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.200        | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.200        | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.400        | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.200        | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.200        | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.200        | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #228577 | Date Tested: 04/13/2026 10:16 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009)                      |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.020                                               | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.020                                               | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #228578   Date Tested: 04/13/2026 05:14 PM |            |

| Heavy Metals: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009)                          |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 110                                                 | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 5.00                                                | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 30.0                                                | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.200                                               | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 2.00                                                | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 0.100                                               | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.500                                               | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #228576   Date Tested: 04/05/2026 10:34 AM |            |

| Microbiology - Plating: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009) |           |                 |                                                                                                                                                | PASS        |
|----------------------------------------------------------------------------------------|-----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                        |           |                 |                                                                                                                                                |             |
| Analyte                                                                                | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Total Aerobic Bacteria                                                                 | PASS      | 27273           | None                                                                                                                                           | 100         |
| Total Yeast & Mold                                                                     | PASS      | < MRL           | None                                                                                                                                           | 100         |
| Microbiology - qPCR:                                                                   |           |                 |                                                                                                                                                |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)       |           |                 |                                                                                                                                                |             |
| Analyte                                                                                | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Salmonella spp                                                                         | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Shiga toxin-producing E. coli                                                          | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| Aspergillus (fumigatus, flavus, niger, terreus)                                        | PASS      | Absent          | Absent                                                                                                                                         | 1           |
| MRL = Minimum reporting limit/limit of quantification                                  |           |                 | Test IDs: #228586, #228585, #228588, #228587   Date Tested: 04/08/2026 06:38 PM, 04/10/2026 10:44 AM, 04/09/2026 05:16 PM, 04/08/2026 03:12 PM |             |

| Moisture: Presidential Moon Rock Blunt - Gorilla Goo (20260403-PREZ-009) |           |            |                                                     | PASS |
|--------------------------------------------------------------------------|-----------|------------|-----------------------------------------------------|------|
| Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)    |           |            |                                                     |      |
| Analyte                                                                  | Pass/Fail | Result (%) | Limit (%)                                           |      |
| Moisture                                                                 | PASS      | 4.9        | 15.0                                                |      |
| MRL = Minimum reporting limit/limit of quantification                    |           |            | Test ID: #228579   Date Tested: 04/07/2026 08:23 AM |      |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Water Activity: Presidential Moon Rock Blunt - Gorilla Goo                       |           | (20260403-PREZ-009)                                 | PASS            |
|----------------------------------------------------------------------------------|-----------|-----------------------------------------------------|-----------------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                                                     |                 |
| Analyte                                                                          | Pass/Fail | Result ( $a_w$ )                                    | Limit ( $a_w$ ) |
| Water Activity                                                                   | PASS      | 0.33                                                | 0.65            |
| MRL = Minimum reporting limit/limit of quantification                            |           | Test ID: #228575   Date Tested: 04/07/2026 08:15 AM |                 |



Matthew Elmes  
Lab Director  
4/13/2026



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Serving size affects reported data where noted. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.